


Mobile Application Lab Programs

1. Creating “Hello world” Application.
2. Creating an application that displays message based on the screen orientation.
3. Create an application to develop Login window using UI controls.
4. Create an application to implement new activity using explicit intent, implicit intent and content provider.
5. Create an application that displays custom designed Opening Screen.
6. Create an UI with all views.
7. Create menu in Application
8. Read/ write the Local data.
9. Create / Read / Write data with database (SQLite).
10. Create an application to send SMS and receive SMS
11. Create an application to send an email.
12. Display Map based on the Current/given location.
13. Create a sample application with login module (check user name and password) On successful login change TextView “Login Successful”. On login fail alert using Toast “login fail”
14. Learn to deploy Android applications

Basic Android Application Structure



Program 1

Creating “Hello world” Application.

Steps:

1. Click Start- Android Studio, a **Welcome to Android Studio** dialog box will appear. Click **New Project**, the **New Project Dialog** box appears.
2. Choose **Empty Views Activity** then click **Next**.
3. Specify the **Name** of your project, Select the **Language** as **Java**, and Select the **SDK as API 24 (“Nougat”,Android 7.0)**.Click **Finish** Button.
4. Update the following code **in activity_main.xml and MainActivity.java**
5. Click **Run app** or **shift+F10** to execute the application.

activity_main.xml

```
<?xml version="1.0" encoding="utf8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Hello World!"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        android:textSize="30sp"/>

</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity.java


```
package com.bca.helloworld;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
public class MainActivity extends AppCompatActivity

{
    protected void onCreate(Bundle savedInstanceState)
    {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
```

```
}
```

```
}
```

Output:



Program 2

Creating an application that displays message based on the screen orientation.

Steps:

1. Click Start - Android Studio, a Welcome to Android Studio dialog box will appear.

- Click **New Project**, the **New Project Dialog box** appears.
2. Choose **Empty Views Activity** then click **Next**.
 3. Specify the **Name** of your project, Select the **Language** as **Java**, and Select the **SDK as API 24(“Nougat”,Android 7.0)**.Click **Finish** Button.
 4. Update the following code in **activity_main.xml**, **activity_main2.xml**, **MainActivity.java** and **MainActivity2.java**
 5. Update the following code in app manifests **AndroidManifest.xml**
 6. To Create another activity **right click on app – new activity-Empty views Activity**.
 7. Update the following code in **activity_main2.xml** and **MainActivity2.java**.
 8. **Click Run App or Shift+F10** to execute the application.

AndroidManifest.xml

```
<?xml version="1.0" encoding="utf8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools">

    <application
        android:allowBackup="true"
        android:dataExtractionRules="@xml/data_extraction_rules"
        android:fullBackupContent="@xml/backup_rules"
        android:icon="@mipmap/ic_launcher"
        android:label="@string/app_name"
        android:roundIcon="@mipmap/ic_launcher_round"
        android:supportsRtl="true"
        android:theme="@style/Theme.ScreenOrientation"
        tools:targetApi="31">

        <activity
            android:name=".MainActivity2"
            android:exported="false"
            android:screenOrientation="landscape"/>

        <activity
            android:name=".MainActivity"
```

```
    android:exported="true"
    android:screenOrientation="portrait">
    <intentfilter>
        <action android:name="android.intent.action.MAIN" />

        <category android:name="android.intent.category.LAUNCHER" />
    </intentfilter>
</activity>
</application>

</manifest>
```

Activity_main.xml

```
<?xml version="1.0" encoding="utf8"?>

<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"

    xmlns:app="http://schemas.android.com/apk/resauto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <Button
        android:id="@+id/button1"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"

        android:layout_marginBottom="8dp"
        android:layout_marginTop="112dp"
        android:onClick="onClick"
```

```
        android:text="Launch next activity"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.612"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/editText1"
        app:layout_constraintVertical_bias="0.613" />

<TextView

    android:id="@+id/editText1"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_centerHorizontal="true"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="124dp"
    android:ems="10"
    android:textSize="22dp"
    android:text="This activity is portrait orientation"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.502"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity.java

```
package com.bca.screenorientation;

import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
```

```
import android.os.Bundle;
import android.view.View;

public class MainActivity extends AppCompatActivity {

    @Override

    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

    }

    public void onClick(View v) {

        Intent intent = new Intent(MainActivity.this,MainActivity2.class);
        startActivity(intent);
    }

}
```

activity_main2.xml

```
<?xml version="1.0" encoding="utf8"?>

<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity2">
```


```
<TextView  
    android:id="@+id/textView"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:layout_marginEnd="8dp"  
    android:layout_marginStart="8dp"  
    android:layout_marginTop="180dp"  
    android:text="this is landscape orientation"  
    android:textSize="22dp"  
    app:layout_constraintEnd_toEndOf="parent"  
    app:layout_constraintHorizontal_bias="0.502"  
    app:layout_constraintStart_toStartOf="parent"  
    app:layout_constraintTop_toTopOf="parent" />  
  
</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity2.java

```
package com.bca.screenorientation;  
  
import androidx.appcompat.app.AppCompatActivity;  
import android.os.Bundle;  
  
public class MainActivity2 extends AppCompatActivity {  
  
    @Override  
  
    protected void onCreate(Bundle savedInstanceState)  
    {  
        super.onCreate(savedInstanceState);  
        setContentView(R.layout.activity_main2);  
    }  
}
```

}

OUTPUT



Program 3

Create an application to develop Login window using UI controls.

1. Click New Project, the New Project Dialog box appears.

Dr.M. Vijaya Maheswari, Asst.Professor, BCA

2. Choose **Empty Views Activity** then click **Next**.
3. Specify the **Name** of your project, Select the **Language** as **Java**, and Select the **SDK as API 24 (“Nougat”, Android 7.0)**. Click **Finish** Button.
4. Create **background resources (bg_outer.xml)**
 - a. To create resource file, click **appresdrawable**. Right click **drawableNew Drawable Resource File**. The **New Resource File** dialog box appears.
 - b. Set **filename** as **bg_outer.xml**, **root element** as **shape** and then click **ok**.
Modify the **bg_outer.xml** file
5. Create **background resources (bg_inner.xml)**
 - a. To create resource file, click **appresdrawable**. Right click **drawableNew Drawable Resource File**. The **New Resource File** dialog box appears.
 - b. Set **filename** as **bg_inner.xml**, **root element** as **shape** and then click **ok**.
Modify the **bg_inner.xml** file
9. Click **Run App or Shift+F10** to execute the application.

activity_main.xml

```
<?xml version="1.0" encoding="utf8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/resauto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity"
    android:background="@drawable/bg_outer">
    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:gravity="center"
        android:layout_centerInParent="true"
        android:orientation="vertical"
        android:background="@drawable/bg_inner"
        android:padding="30dp"
```

```
>
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Login Page"
    android:textSize="32sp"
    android:textStyle="bold"
    android:fontFamily="sansserifcondensedmedium"
    android:textColor="@color/black"
    android:paddingBottom="20dp"
/>
<EditText
    android:id="@+id/editTextUsername"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:hint="Username"
    android:layout_marginBottom="16dp"/>
<EditText
    android:id="@+id/editTextPassword"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:hint="Password"
    android:layout_below="@+id/editTextUsername"
    android:layout_marginBottom="16dp"
    android:inputType="textPassword"/>
<Button
    android:id="@+id/buttonLogin"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Login"
    android:layout_below="@+id/editTextPassword"/>
</LinearLayout>
</RelativeLayout>
```

bg_inner.xml

```
<?xml version="1.0" encoding="utf8"?>
<shape xmlns:android="http://schemas.android.com/apk/res/android">
    <gradient
        android:startColor="#84FFFF"
        android:endColor="#f08"
        android:angle="100"/>
    <corners android:radius="20dp"/>
</shape>
```

bg_outer.xml

```
<?xml version="1.0" encoding="utf8"?>
<shape xmlns:android="http://schemas.android.com/apk/res/android">
    <corners android:radius="12dp" />
    <gradient
        android:startColor="#B388FF"
        android:endColor="#397C9A"
        android:angle="100"/>
</shape>
```


MainActivity.java


```
package com.bca.loginprgm;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;
import androidx.activity.EdgeToEdge;
import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {
```

```
private EditText editTextUsername,editTextPassword;
private Button buttonLogin;
@Override
protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    EdgeToEdge.enable(this);
    setContentView(R.layout.activity_main);
    editTextUsername = findViewById(R.id.editTextUsername);
    editTextPassword = findViewById(R.id.editTextPassword);
    buttonLogin = findViewById(R.id.buttonLogin);
    buttonLogin.setOnClickListener(new View.OnClickListener() {
        @Override
        public void onClick(View v) {
            String username = editTextUsername.getText().toString().trim();
            String password = editTextPassword.getText().toString().trim();
            if(username.equals("admin") && password.equals("pass")){
                Toast.makeText(MainActivity.this, "Login successful",
                        Toast.LENGTH_SHORT).show();
            } else {
                Toast.makeText(MainActivity.this, "Invalid username or password",
                        Toast.LENGTH_SHORT).show();
            }
        }
    });
}
```

OUTPUT





Program 4

Create an application to implement new activity using explicit intent, implicit intent and content provider.

activity_new.xml

```
<?xml version="1.0" encoding="utf8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/resauto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
```

```
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

<TextView
    android:id="@+id/textView"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Welcome to Explicit Intent"
    android:textSize="28sp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity.java

```
package com.bca.intent;

import android.content.Intent;
import android.net.Uri;
import android.os.Bundle;
import android.view.View;

import androidx.activity.EdgeToEdge;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;
public class MainActivity extends AppCompatActivity {

    @Override
```

```
protected void onCreate(Bundle savedInstanceState)
{
    super.onCreate(savedInstanceState);
    EdgeToEdge.enable(this);
    setContentView(R.layout.activity_main);

}

public void onImplicitButtonClicked(View view)
{
    Uri url=Uri.parse("https://www.google.com");
    Intent i=new Intent(Intent.ACTION_VIEW, url);
    startActivity(i);
}


public void onExplicitButtonClicked(View view )
{
    Intent i=new Intent(MainActivity.this, NewActivity.class);
    startActivity(i);
}
```

activity_main.xml

```
<?xml version="1.0" encoding="utf8"?>
<LinearLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/resauto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:gravity="center" tools:context=".MainActivity">
    <Button
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
```

```
    android:text="Implicit Intent"  
    android:onClick="onImplicitButtonClicked"  
/>/>  
<Button  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:text="Explicit Intent"  
    android:onClick="onExplicitButtonClicked"/>  
  
</LinearLayout>
```

Output





Program 5

Create an application that displays custom designed Opening Screen.

1. Click **New Project**, the **New Project Dialog box** appears.
2. Choose **Empty Views Activity** then click **Next**.
3. Specify the **Name** of your project, Select the **Language** as **Java**, and Select the **SDK as API 24 (“Nougat”,Android 7.0)**.Click **Finish** Button.
4. To create another activity for **Home Page**, Right Click **AppNewActivity Empty Views Activity**. A **New Android Activity** dialog box appears, Specify the **Name** of the activity as **mainScreen** then click **Finish**.
5. Create one **TextView** resource in **activity_mainScreen.xml** and update the following code

Activity_main.xml

Dr.M. Vijaya Maheswari, Asst.Professor, BCA

```
<?xml version="1.0" encoding="utf8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity"
    android:gravity="center">
    <ImageView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:src="@drawable/img"/>
</RelativeLayout>
```

Activity_main.xml

```
<?xml version="1.0" encoding="utf8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".Mainscreen"
    android:gravity="center"
    android:background="#7E6C29">
    <TextView android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Welcome to home Page"
        android:textStyle="bold"
        android:textSize="32sp"
        android:textColor="@color/black"/>
</RelativeLayout>
```

Dr.M. Vijaya Maheswari, Asst.Professor, BCA

Mainactivity.java

```
package com.bca.openingscreen;
import android.content.Intent;
import android.os.Bundle;
import android.os.Handler;
import android.view.WindowManager;
import androidx.activity.EdgeToEdge;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;

public class MainActivity extends AppCompatActivity {
    private static final int SPLASH_SCREEN_TIME_OUT = 10000;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        EdgeToEdge.enable(this);
        setContentView(R.layout.activity_main);
        getWindow().setFlags(WindowManager.LayoutParams.FLAG_FULLSCREEN,
                WindowManager.LayoutParams.FLAG_FULLSCREEN);
        new Handler().postDelayed(new Runnable()
        {
            @Override
            public void run()
            {
                Intent i = new Intent(MainActivity.this, Mainscreen.class);
                startActivity(i);
                finish();
            }
        }, SPLASH_SCREEN_TIME_OUT);
    }
}
```

Mainscreen.java

```
package com.bca.openingscreen;


import android.os.Bundle;

import androidx.activity.EdgeToEdge;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;

public class Mainscreen extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState)
    {
        super.onCreate(savedInstanceState);
        EdgeToEdge.enable(this);
        setContentView(R.layout.activity_main);
        ViewCompat.setOnApplyWindowInsetsListener(findViewById(R.id.main), (v, insets) > {
            Insets systemBars = insets.getInsets(WindowInsetsCompat.Type.systemBars());
            v.setPadding(systemBars.left, systemBars.top, systemBars.right, systemBars.bottom);
            return insets;
        });
    }
}
```

Output



Program 6

Create an UI with all views.

1. Click **New Project**, the **New Project Dialog box** appears.
2. Choose **Empty Views Activity** then click **Next**.
3. Specify the **Name** of your project, Select the **Language** as **Java**, and Select the **SDK as API 24("Nougat",Android 7.0)**.Click **Finish** Button.
4. Create **background** resources(**bg_outer.xml**, **bg_inner.xml**, **bg.xml**)
 - a. To create resource file click **appresdrawable**. Right click **drawableNew Drawable Resource File**. The **New Resource File** dialog box appears.

- b. Set **filename** as **bg_outer.xml**, **root element** as **shape** and then click **ok**.

Modify the bg_outer.xml file

```
<?xml version="1.0" encoding="utf8"?>
<shape xmlns:android="http://schemas.android.com/apk/res/android">
    <gradient android:startColor="#64EFAE"
              android:endColor="#84FFFF"
              android:angle="120"
              android:gradientRadius="5dp"/>
    <corners android:radius="20dp"/>
</shape>
```

- a. Create another background resource for inner layout. Set **filename** as **bg_inner.xml**, **root element** as **shape** and then click **ok**. Modify the bg_inner.xml file

```
<?xml version="1.0" encoding="utf8"?>
<shape xmlns:android="http://schemas.android.com/apk/res/android">
    <gradient android:startColor="#64F194"
              android:endColor="#B242C5"
              android:angle="120"
              android:gradientRadius="5dp"/>
    <corners android:radius="20dp"
              android:topLeftRadius="70dp"
              android:bottomRightRadius="70dp"/>
</shape>
```

- b. Likewise, create another background resource for view. Set **filename** as **bg.xml**, **root element** as **shape** and then click **ok**. Modify the bg..xml file

```
<?xml version="1.0" encoding="utf8"?>
<shape xmlns:android="http://schemas.android.com/apk/res/android">
    <solid android:color="#2860F367"/>
    <corners android:radius="30dp" />
    <stroke android:color="#00BFA5"
              android:width="2dp"/>
</shape>
```

5. Create a **TextView**, **EditText**, **ToggleButton**, **ImageView**, **RadioGroup**, **RadioButton**, **spinner** and a **Button** resource in **activity_main.xml** and update the following code.

```
<?xml version="1.0" encoding="utf8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/resauto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity"
    android:gravity="center"
    android:orientation="vertical"
    android:padding="30dp"
    android:background="@drawable/bg_outer">

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="User Information"
        android:textSize="30sp"
        android:textStyle="bold"
        android:textColor="#26389C"/>

    <ImageView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:src="@drawable/img"/>

    <ToggleButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:textOn="Active"
        android:textOff="Inactive"/>

    <View
        android:layout_width="match_parent"
```

```
        android:layout_height="40dp"/>  
<LinearLayout  
        android:layout_width="match_parent"  
        android:layout_height="wrap_content"  
        android:paddingTop="30dp"  
        android:paddingBottom="30dp"  
        android:paddingLeft="5dp"  
        android:paddingRight="5dp"  
        android:orientation="vertical"  
        android:background="@drawable/bg_inner">  
        <LinearLayout  
            android:layout_width="match_parent"  
            android:layout_height="wrap_content"  
            android:orientation="horizontal"  
            android:padding="5dp">  
            <TextView  
                android:layout_width="wrap_content"  
                android:layout_height="wrap_content"  
                android:text="Name"  
                android:textSize="20sp"  
                android:textStyle="bold"  
                android:textColor="#26389C"  
                android:padding="15dp"/>  
            <EditText  
                android:layout_width="match_parent"  
                android:layout_height="60dp"  
                android:id="@+id/name"  
                android:background="@drawable/bg"  
                android:padding="15dp"/>  
        </LinearLayout>  
    <LinearLayout  
        android:layout_width="match_parent"
```

```
        android:layout_height="wrap_content"
        android:orientation="horizontal"
        android:padding="5dp">
        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="Email"
            android:textSize="20sp"
            android:textStyle="bold"
            android:textColor="#26389C"
            android:padding="15dp"/>
<EditText
        android:id="@+id/email"
        android:layout_width="match_parent"
        android:layout_height="60dp"
        android:ems="10"
        android:inputType="textEmailAddress"
        android:background="@drawable/bg"
        android:padding="15dp"/>
</LinearLayout>
<LinearLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:orientation="horizontal"
        android:padding="5dp">
        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="Sex"
            android:textSize="20sp"
            android:textStyle="bold"
            android:textColor="#26389C"
            android:padding="15dp"
```

```
        android:paddingEnd="40dp"
    />

<RadioGroup
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:background="@drawable/bg"
    android:orientation="horizontal"
    android:id="@+id/sex">

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:id="@+id/male"
        android:padding="15dp"
        android:text="Male"
        android:textColor="#26389C"
        android:textSize="20sp"
        android:textStyle="bold" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:id="@+id/female"
        android:padding="15dp"
        android:text="Female"
        android:textColor="#26389C"
        android:textSize="20sp"
        android:textStyle="bold" />

</RadioGroup>
</LinearLayout>


<LinearLayout
```


```
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:orientation="horizontal"
        android:padding="5dp">
    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Country"
        android:textSize="20sp"
        android:textStyle="bold"
        android:textColor="#26389C"
        android:padding="15dp"
        android:paddingEnd="5dp" />
    <Spinner
        android:layout_width="match_parent"
        android:layout_height="60dp"
        android:id="@+id/country"
        android:padding="15dp"
        android:background="@drawable/bg"/>
    </LinearLayout>
</LinearLayout>
<View
    android:layout_width="match_parent"
    android:layout_height="40dp"/>
<Button
    android:layout_width="210dp"
    android:layout_height="wrap_content"
    android:id="@+id/submit"
    android:background="@drawable/bg"
    android:padding="15dp"
    android:text="Submit"
    android:textColor="#26389C"
    android:textSize="20sp"
```

android:textStyle="bold" />

</LinearLayout>

The following figure illustrates the design view of the application.





6. Create two **EditText** and a **Button** object, create **clickListener**, **onClick** event for button object and update the following code in **MainActivity.java**

```
package com.bca.userinterface;

import android.app.Dialog;
import android.content.Context;
import android.content.DialogInterface;
import android.os.Bundle;
import android.view.View;
import android.view.ViewGroup;
import android.widget.ArrayAdapter;
import android.widget.Button;
```

```
import android.widget.EditText;
import android.widget.RadioButton;
import android.widget.RadioGroup;
import android.widget.Spinner;
import android.widget.Toast;
import androidx.activity.EdgeToEdge;
import androidx.appcompat.app.AlertDialog;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;
public class MainActivity extends AppCompatActivity { Button sub;

@Override
protected void onCreate(Bundle savedInstanceState)
{
    super.onCreate(savedInstanceState);
    EdgeToEdge.enable(this);
    setContentView(R.layout.activity_main);
    Button sub=findViewById(R.id.submit);

    sub.setOnClickListener(new View.OnClickListener()
    {
        @Override
        public void onClick(View v)
        { showMessage(MainActivity.this,"User Information","Successfully completed\\");
completed");
    }
});

String[] item=new String[]{"India", "Pakistan", "China", "America", "England"};
ArrayAdapter adapter = new ArrayAdapter<>(this,
android.R.layout.simple_spinner_item, item);

adapter.setDropDownViewResource(android.R.layout.simple_spinner_dropdown_item);
```

```
Spinner spinner = findViewById(R.id.country);
spinner.setAdapter(adapter);
}
public void showMessage(Context con, String t, String msg)
{
    AlertDialog.Builder builder = new AlertDialog.Builder(con);
    builder.setTitle(t);
    builder.setMessage(msg);
    builder.setPositiveButton("OK", new DialogInterface.OnClickListener()
    {
        @Override
        public void onClick(DialogInterface dialog, int which)
        {
            dialog.dismiss();
        }
    });
    builder.show();
}
Output
```

3:22 VoLTE 4G+ 100% 100%

User Information



INACTIVE

Name: vm

E-mail: vm@gmail.com

Sex: Male Female

Country: India

Submit

III O <

3:18 VoLTE 4G+ 100% 100%

User Information



INACTIVE

Name:


E-mail:

Sex: Male Female

Country: India

Submit

III O <



Program 7

Create menu in Application

1. Click **New Project**, the **New Project Dialog** box appears.
2. Choose **Empty Views Activity** then click **Next**.
3. Specify the **Name** of your project, Select the **Language** as **Java**, and Select the **SDK**

as API 24("Nougat",Android 7.0).Click **Finish** Button.

4. To create another activity for **Home Page**, Right Click **AppNewActivity Empty Views Activity**. A **New Android Activity** dialog box appears, Specify the **Name** of the activity as **HomeScreen** then click **Finish**.

5. **To create a Menu Resource File:**

Rightclick on the **res** directory in your Android project, navigate to **New Android Resource File**, and **name** the file **menus.xml**, Root element as **Menu** and update the following content.

```
<?xml version="1.0" encoding="utf8"?>
<menu xmlns:android="http://schemas.android.com/apk/res/android">
    <item android:id="@+id/php"
        android:title="PHP"/>
    <item android:id="@+id/java"
        android:title="JAVA"/>
    <item android:id="@+id/csharp"
        android:title="C#"/>
</menu>
```

Update the following code in **MainActivity.java**

```
package com.bca.homescreen;

import android.content.Intent;
import android.os.Bundle;
import android.view.Menu;
import android.view.MenuInflater;
import android.view.MenuItem;
import android.widget.Toast;
import androidx.activity.EdgeToEdge;
import androidx.annotation.NonNull;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
```

```
import androidx.core.view.WindowInsetsCompat;
public class MainActivity extends AppCompatActivity {
    @Override
    protected void onCreate(Bundle savedInstanceState)
    { super.onCreate(savedInstanceState);
        EdgeToEdge.enable(this);

        setContentView(R.layout.activity_main);
    }

    @Override
    public boolean onCreateOptionsMenu(@NonNull Menu menu)
    { MenuInflater inflater=getMenuInflater(); inflater.inflate(R.menu.menus,menu);
        return true;
    }

    @Override
    public boolean onOptionsItemSelected(@NonNull MenuItem item)
    { if(item.getItemId()==R.id.php) {
            Toast.makeText(this, "Php Page", Toast.LENGTH_SHORT).show();
        }
        if(item.getItemId()==R.id.java) {
            Toast.makeText(this, "Java Page", Toast.LENGTH_SHORT).show();
        }
        if(item.getItemId()==R.id.csharp) {
            Toast.makeText(this, "C# Page", Toast.LENGTH_SHORT).show();
        }
        return super.onOptionsItemSelected(item);
    }
}
```

Set the **UsesPermission** in **AndroidManifest.xml**


```
<?xml version="1.0" encoding="utf8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools">
    <usespermission
        android:name="android.permission.INTERNET" />
    <application
        android:allowBackup="true"
        android:dataExtractionRules="@xml/data_extraction_rules"
        android:fullBackupContent="@xml/backup_rules"
        android:icon="@mipmap/ic_launcher"
        android:label="@string/app_name"
        android:roundIcon="@mipmap/ic_launcher_round"
        android:supportsRtl="true"
        android:theme="@style/Theme.AppCompat.Light" tools:targetApi="31">
        <activity android:name=".MainActivity"
            android:exported="true">
            <intentfilter>
                <action android:name="android.intent.action.MAIN" />
                <category android:name="android.intent.category.LAUNCHER" />
            </intentfilter>
        </activity>
    </application>
</manifest>
```


Activity_main.xml

```
<?xml version="1.0" encoding="utf8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/resauto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
```

```
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">
</androidx.constraintlayout.widget.ConstraintLayout>
```

Output





Program 8

Read/ write the Local data

activity_main.xml

```
<?xml version="1.0" encoding="utf8"?>
```

```
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/resauto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity"
    android:orientation="vertical">

    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="User Name"></TextView>

    <EditText
        android:id="@+id/etUserName"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        ></EditText>

    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="Password"></TextView>

    <EditText
        android:id="@+id/etPassword"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        ></EditText>

    <Button
        android:id="@+id/btnsave"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Save" />

    <Button
        android:id="@+id/btnnext"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
```

```
        android:text="Next" />  
</LinearLayout>
```

MainActivity.java

```
package com.bca.localedata;  
import androidx.appcompat.app.AppCompatActivity;  
import android.content.Context;  
import android.content.Intent;  
import android.content.SharedPreferences;  
import android.os.Bundle;  
import android.view.View;  
import android.widget.Button;  
import android.widget.EditText;  
import android.widget.Toast;  
public class MainActivity extends AppCompatActivity {  
    Button btnsave,btnnext;  
    EditText etUserName,etPassword;  
    @Override  
    protected void onCreate(Bundle savedInstanceState) {  
        super.onCreate(savedInstanceState);  
        setContentView(R.layout.activity_main);  
        btnsave=(Button) findViewById(R.id.btnsave);  
        btnnext = (Button) findViewById(R.id.btnnext);  
        etUserName = (EditText) findViewById(R.id.etUserName);  
        etPassword = (EditText) findViewById(R.id.etPassword);  
        btnsave.setOnClickListener(new View.OnClickListener() { @Override  
        public void onClick(View view) {  
            // Writing data to SharedPreferences  
            SharedPreferences sharedPreferences = getSharedPreferences("MyPrefs",  
            Context.MODE_PRIVATE);  
            SharedPreferences.Editor editor = sharedPreferences.edit();  
            editor.putString("username",  
                etUserName.getText().toString());  
            editor.putString("password",
```

```
        etPassword.getText().toString());
        editor.apply();
        Toast.makeText(getApplicationContext(),"Saved
successfully",Toast.LENGTH_LONG).show();
    }

});

btnnext.setOnClickListener(new View.OnClickListener() { @Override
public void onClick(View view) {

    Intent intent = new
        Intent(getApplicationContext(),MainActivity2.class);

    startActivity(intent);
}

});

}
}
```

activity_main2.xml

```
<?xml version="1.0" encoding="utf8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/resauto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity2"
    android:orientation="vertical">
```

```
<Button android:id="@+id	btnFetch"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Fetch" />

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="User Name"></TextView>

<EditText
    android:id="@+id/etUserName"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    ></EditText>

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="Password"></TextView>

<EditText
    android:id="@+id/etPassword"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    ></EditText>

</LinearLayout>
```

MainActivity2.java

```
package com.bca.localedata;

import androidx.appcompat.app.AppCompatActivity;
import android.content.Context;
import android.content.SharedPreferences;
import android.os.Bundle;
import android.view.View;
```


```
import android.widget.Button;
import android.widget.EditText;
public class MainActivity2 extends AppCompatActivity {


    Button btnFetch;
    EditText etUserName,etPassword;

    @Override
    protected void onCreate(Bundle savedInstanceState)
    {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main2);

        btnFetch = (Button) findViewById(R.id.btnFetch);
        etUserName = (EditText)findViewById(R.id.etUserName);
        etPassword = (EditText)findViewById(R.id.etPassword);
        btnFetch.setOnClickListener(new View.OnClickListener()
        {
            @Override
            public void onClick(View view)
            {
                // Reading data from SharedPreferences
                SharedPreferences sharedPreferences = getSharedPreferences("MyPrefs",
                Context.MODE_PRIVATE);
                String username = sharedPreferences.getString("username", "");
                String password = sharedPreferences.getString("password", "");
                etUserName.setText(username);
                etPassword.setText(password);
            }
        });
    }
}
```

Output





Program 9

Create / Read / Write data with database (SQL Lite)

Steps:

1. Click Start - Android Studio, a Welcome to Android Studio dialog box will appear. Click New Project, the New Project Dialog box appears.
2. Choose **Empty Views Activity** then click **Next**.
3. Specify the **Name** of your project, Select the **Language** as **Java**, and Select the **SDK as API 24("Nougat",Android 7.0)**.Click **Finish** Button.

4. Update the following code **in activity_main.xml, activity_view.xml, MainActivity.java and ViewActivity.java**
5. Create a class file **right click app- new- java class name it as student and update** the following code in student.java
6. To Create another activity **right click on app – new activity-Empty views Activity.**
7. Update the following code **in activity_edit.xml and EditActivity.java.**
8. **Click Run App or Shift+F10** to execute the application.

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical" android:gravity="center"
    tools:context=".MainActivity">

    <LinearLayout
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:orientation="vertical" android:gravity="center">
        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content" android:text="Course
Registration" android:textColor="@color/colorAccent"
            android:textSize="30dp"
        />
    </LinearLayout>
    <LinearLayout
        android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
    android:orientation="horizontal" android:gravity="center">

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content" android:text="Name"
    />

    <EditText
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1" android:ems="10"
        android:id="@+id/name"
        android:textAlignment="center"
    />

    </LinearLayout>

    <LinearLayout
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:orientation="horizontal" android:gravity="center">

        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="Course"
        />

        <EditText
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:layout_weight="1" android:ems="10"
            android:id="@+id/course"
            android:textAlignment="center"
        />
    
```

```
</LinearLayout>

<LinearLayout
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:orientation="horizontal" android:gravity="center">

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content" android:text="Fee"
        />

    <EditText
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1" android:ems="10"
        android:id="@+id/fee"
        android:textAlignment="center"
        />

    </LinearLayout>

    <LinearLayout
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:orientation="horizontal" android:gravity="center">

        <Button
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:layout_weight="1" android:id="@+id/bt1"
            android:text="Ok"
            android:background="@color/colorPrimary"
            />

        <Button
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
```

```
    android:layout_weight="1" android:id="@+id/bt2"
    android:text="View"
    android:background="@color/colorAccent"
/>
</LinearLayout>
</LinearLayout>
```

MainActivity.java

```
package com.bca.sqlite;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Context;
import android.content.Intent;
import android.database.sqlite.SQLiteDatabase;
import android.database.sqlite.SQLiteStatement
;import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

public class MainActivity extends AppCompatActivity {
    EditText ed1,ed2,ed3;
    Button b1,b2;
    @Override
    protected void onCreate(Bundle savedInstanceState)
    {super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);

    ed1 = findViewById(R.id.name);
    ed2 = findViewById(R.id.course);
```

```
ed3 = findViewById(R.id.fee);

b1 = findViewById(R.id.bt1);

b2 = findViewById(R.id.bt2);

b2.setOnClickListener(new View.OnClickListener()

{@Override

public void onClick(View v)

{

Intent i = new Intent(getApplicationContext(),ViewActivity.class);

startActivity(i);

}

});

b1.setOnClickListener(new View.OnClickListener() {@Override

public void onClick(View v) {

insert();

}

}

);

public void insert()

{

try

{



String name = ed1.getText().toString();

String course = ed2.getText().toString();

String fee = ed3.getText().toString();
```

```
SQLiteDatabase db = openOrCreateDatabase("SliteDb",
Context.MODE_PRIVATE, null);

db.execSQL("CREATE TABLE IF NOT EXISTS records(id INTEGER
PRIMARY KEY AUTOINCREMENT,name VARCHAR, course
VARCHAR,fee VARCHAR");

String sql = "insert into records(name, course, fee) values('" + name + "','" +
course + "','" + fee + "')";

SQLiteStatement statement = db.compileStatement(sql);

statement.execute();

Toast.makeText(this, "Record addded", Toast.LENGTH_LONG).show();

ed1.setText("");

ed2.setText("");

ed3.setText("");

ed1.requestFocus();

}

catch (Exception ex)

{

Toast.makeText(this, "Record Fail", Toast.LENGTH_LONG).show();

}

}

}

}

/* Add Student.class file (Right click on package name */


```

Student.class

```
package com.bca.sqlite;

public class Student {

String id;
```

```
String name;
```

```
String course;
```

```
String fee;
```

```
String titles;
```

```
}
```

activity_view.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".ViewActivity"
    android:orientation="vertical">

    <ListView
        android:layout_width="match_parent"
        android:layout_height="match_parent" android:id="@+id/lst1"
    />

</LinearLayout>
```

ViewActivity.java

```
package com.bca.sqlite;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Context;
import android.content.Intent;

import android.database.Cursor;

import android.database.sqlite.SQLiteDatabase;

import android.os.Bundle;

import android.view.View;
```

```
import android.widget.AdapterView;
import android.widget.ArrayAdapter;
import android.widget.ListView;

import java.util.ArrayList;

public class ViewActivity extends AppCompatActivity {

    ListView lst1;

    ArrayList<String> titles = new ArrayList<String>();

    ArrayAdapter arrayAdapter;

    @Override

    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_view);

        SQLiteDatabase db = openOrCreateDatabase("SliteDb", Context.MODE_PRIVATE,null);

        lst1 = findViewById(R.id.lst1);

        final Cursor c = db.rawQuery("select * from records",null);

        int id = c.getColumnIndex("id");

        int name = c.getColumnIndex("name");

        int course = c.getColumnIndex("course");

        int fee = c.getColumnIndex("fee");

        titles.clear();

        arrayAdapter = new ArrayAdapter(this,
            androidx.appcompat.R.layout.support_simple_spinner_dropdown_item,titles);

        lst1.setAdapter(arrayAdapter);

        final ArrayList<Student> stud = new ArrayList<Student>();

        if(c.moveToFirst())

```

```
{  
  
do {  
  
    Student stu = new Student();  
  
    stu.id = c.getString(id);  
  
    stu.name = c.getString(name);  
  
    stu.course = c.getString(course)  
  
    ;stu.fee = c.getString(fee);  
  
    stud.add(stu);  
  
    titles.add(c.getString(id) + " \t " + c.getString(name) + "  
 \t " + c.getString(course) + " \t " + c.getString(fee));  
}  
} while(c.moveToNext());  
  
arrayAdapter.notifyDataSetChanged();  
  
lst1.invalidateViews();  
}  
  
lst1.setOnItemClickListener(new AdapterView.OnItemClickListener()  
  
{@Override  
  
public void onItemClick(AdapterView parent, View view, int position, long id) {  
  
    String aa = titles.get(position).toString();  
  
    Student stu = stud.get(position);  
  
    Intent i = new  
  
Intent(getApplicationContext(),EditActivity.class);  
  
i.putExtra("id",stu.id);  
  
i.putExtra("name",stu.name);  
i.putExtra("course",stu.course);  
i.putExtra("fee",stu.fee);
```

```
startActivity(i);
```

```
}
```

```
});
```

```
}
```

```
}
```

activity_edit.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent" android:layout_height="match_parent"
    tools:context=".EditActivity" android:orientation="vertical">

    <LinearLayout
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:orientation="vertical"
        android:gravity="center">

        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="Course Registration"
            android:textColor="@color/colorAccent"
            android:textSize="30dp"
            />

    </LinearLayout>

    <LinearLayout
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
```

```
    android:orientation="horizontal" android:gravity="center">
    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="ID"
    />

    <EditText
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1" android:ems="10"
        android:id="@+id/id"
        android:textAlignment="center"
    />

</LinearLayout>
<LinearLayout
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:orientation="horizontal" android:gravity="center">
    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Name"
    />

    <EditText
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1" android:ems="10"
        android:id="@+id/name"
        android:textAlignment="center"
    />

</LinearLayout>
```

```
<LinearLayout  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:orientation="horizontal" android:gravity="center">  
    <TextView  
        android:layout_width="wrap_content"  
        android:layout_height="wrap_content"  
        android:text="Course"/>  
    <EditText  
        android:layout_width="wrap_content"  
        android:layout_height="wrap_content"  
        android:layout_weight="1" android:ems="10"  
        android:id="@+id/course"  
        android:textAlignment="center"  
    />  
  
    </LinearLayout>  
    <LinearLayout  
        android:layout_width="wrap_content"  
        android:layout_height="wrap_content"  
        android:orientation="horizontal"  
        android:gravity="center">  
        <TextView  
            android:layout_width="wrap_content"  
            android:layout_height="wrap_content"  
            android:text="Fee"  
        />  
  
        <EditText  
            android:layout_width="wrap_content"  
            android:layout_height="wrap_content"  
            android:layout_weight="1"  
            android:ems="10"  
            android:id="@+id/fee"  
            android:textAlignment="center"  
        />
```

/>

</LinearLayout>
<LinearLayout
 android:layout_width="wrap_content"
 android:layout_height="wrap_content"
 android:orientation="horizontal" android:gravity="center">
 <Button
 android:layout_width="wrap_content"
 android:layout_height="wrap_content"
 android:layout_weight="1" android:id="@+id/bt1"
 android:text="Edit"
 android:background="@color/colorPrimary"
 />

 <Button
 android:layout_width="wrap_content"
 android:layout_height="wrap_content"
 android:layout_weight="1" android:id="@+id/bt2"
 android:text="Delete"
 android:background="@color/colorAccent"
 />

 <Button
 android:layout_width="wrap_content"
 android:layout_height="wrap_content"
 android:layout_weight="1" android:id="@+id/bt3"
 android:text="Back"
 android:background="@color/colorPrimaryDark"
 />

</LinearLayout>
</LinearLayout>

EditActivity.java

```
package com.bca.sqlite;
```

```
import androidx.appcompat.app.AppCompatActivity;  
  
import android.content.Context;  
  
import android.content.Intent;  
  
import android.database.sqlite.SQLiteDatabase;  
  
import android.database.sqlite.SQLiteStatement;  
  
import android.os.Bundle;  
  
import android.view.View;  
  
import android.widget.Button;  
  
import  
    android.widget.EditText;  
import android.widget.Toast;  
  
public class EditActivity extends AppCompatActivity {  
  
    EditText ed1,ed2,ed3,ed4;  
  
    Button b1,b2,b3;  
  
    @Override  
  
    protected void onCreate(Bundle savedInstanceState) {  
        super.onCreate(savedInstanceState);  
        setContentView(R.layout.activity_edit);  
  
        ed1 = findViewById(R.id.name);  
  
        ed2 = findViewById(R.id.course);  
  
        ed3 = findViewById(R.id.fee);  
  
        ed4 = findViewById(R.id.id);  
  
        b1 = findViewById(R.id.bt1);  
  
        b2 = findViewById(R.id.bt2);  
  
        b3 = findViewById(R.id.bt3);
```

```
Intent i = getIntent();

String t1 = i.getStringExtra("id").toString();

String t2 = i.getStringExtra("name").toString();

String t3 = i.getStringExtra("course").toString();

String t4 = i.getStringExtra("fee").toString();

ed4.setText(t1);

ed1.setText(t2);

ed2.setText(t3);

ed3.setText(t4);

b2.setOnClickListener(new View.OnClickListener()

{@Override

public void onClick(View v) {

try

{

String id = ed4.getText().toString();SQLiteDatabase db =

openOrCreateDatabase("SliteDb",Context.MODE_PRIVATE,null);

String sql = "delete from records where id = " + id + "';

SQLiteStatement statement = db.compileStatement(sql);

statement.execute();

Toast.makeText(EditActivity.this,"RecordDeleted",Toast.LENGTH_LONG).show();

ed1.setText("");

ed2.setText("");

ed3.setText("");

ed1.requestFocus();

}

}
```

```
        catch (Exception ex)

        {

            Toast.makeText(EditActivity.this,"Record Fail",Toast.LENGTH_LONG).show();

        }

    }

});
```

b3.setOnTouchListener(new View.OnClickListener() {@Override

```
public void onClick(View v) {
```

```
Intent i = new Intent(getApplicationContext(),ViewActivity.class);
```

```
startActivity(i);
```

```
}
```

```
});
```

b1.setOnTouchListener(new View.OnClickListener() {@Override

```
public void onClick(View v) {
```

```
try {
```

```
String name = ed1.getText().toString();
```

```
String course = ed2.getText().toString();
```

```
String fee = ed3.getText().toString();
```

```
String id = ed4.getText().toString();
```

```
SQLiteDatabase db = openOrCreateDatabase("SliteDb",Context.MODE_PRIVATE, null);
```

```
String sql = "update records set name = '" + name + "',course='"+course +
```



```
"',fee='"+ fee + "' where id= " + id + "';";
```


```
SQLiteDatabase statement = db.compileStatement(sql);
```

```
statement.execute();
```

```
Toast.makeText(EditActivity.this, "Record Updated",
```

```
Toast.LENGTH_LONG).show();  
  
ed1.setText("");  
  
ed2.setText("");  
  
ed3.setText("");  
  
ed1.requestFocus();  
  
} catch (Exception ex) {  
  
    Toast.makeText(EditActivity.this, "Record Fail",  
    Toast.LENGTH_LONG).show();  
  
}  
  
}  
  
});  
  
} }  
  
Output
```





Program 10

Create an application to send SMS and receive SMS

Steps:

1. Click **Start**- **Android Studio**, a **Welcome to Android Studio** dialog box will appear. Click **New Project**, the **New Project Dialog box** appears.
2. Choose **Empty Views Activity** then click **Next**.
3. Specify the **Name** of your project, Select the **Language** as **Java**, and Select the

SDK as API 24 (“Nougat”, Android 7.0). Click Finish Button.

4. Update the following code **in activity_main.xml and MainActivity.java**

5. Click **Run app** or **shift+F10** to execute the application.

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@color/white" tools:context=".MainActivity">
    <EditText
        android:id="@+id/editTextPhoneNumber"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:hint="Enter phone number"
        android:layout_margin="16dp"/>
    <EditText
        android:id="@+id/editTextMessage"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:hint="Enter message"
        android:layout_below="@+id/editTextPhoneNumber"
        android:layout_margin="16dp"/>
    <Button
        android:id="@+id/buttonSend"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Send"
        android:layout_below="@+id/editTextMessage"
        android:layout_alignParentEnd="true"
        android:layout_marginEnd="16dp"
        android:onClick="sendMessage" tools:ignore="UsingOnClickInXml" />
```

```
<TextView  
    android:id="@+id/textViewReceivedMessages"  
    android:layout_width="match_parent"  
    android:layout_height="wrap_content"  
    android:layout_below="@+id/buttonSend"  
    android:layout_marginStart="16dp"  
    android:layout_marginTop="16dp"  
    android:layout_marginEnd="16dp"  
    android:layout_marginBottom="16dp"  
    android:textColor="@color/black" />  
</RelativeLayout>
```

MainActivity.java

```
package com.bca.sms;  
  
import androidx.appcompat.app.AppCompatActivity;  
import androidx.core.app.ActivityCompat;  
import androidx.core.content.ContextCompat;  
import android.content.BroadcastReceiver;  
import android.content.Context;  
import android.content.Intent;  
import android.content.IntentFilter;  
import android.content.pm.PackageManager;  
import android.os.Bundle;  
import android.telephony.SmsManager;  
import android.telephony.SmsMessage;  
import android.view.View;  
import android.widget.EditText;  
import android.widget.TextView;  
import android.widget.Toast;  
import android.Manifest;  
import androidx.appcompat.app.AppCompatActivity;  
  
public class MainActivity extends AppCompatActivity  
{
```

```
private static final int SMS_PERMISSION_CODE = 101;
private EditText editTextPhoneNumber;
private EditText editTextMessage;
private TextView textViewReceivedMessages;

@Override
protected void onCreate(Bundle savedInstanceState)
{
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    editTextPhoneNumber = findViewById(R.id.editTextPhoneNumber);
    editTextMessage = findViewById(R.id.editTextMessage);
    textViewReceivedMessages = findViewById(R.id.textViewReceivedMessages);

    // Request SMS permissions if not granted

    if (!checkSMSPermission())
    {
        requestSMSPermission();
    }

    // Register SMS receiver

    IntentFilter intentFilter = new IntentFilter();
    intentFilter.addAction("android.provider.Telephony.SMS_RECEIVED");
    registerReceiver(smsReceiver, intentFilter);
}


@Override
protected void onDestroy()
{
    super.onDestroy();
    unregisterReceiver(smsReceiver);
}

// Button click listener for sending SMS

public void sendMessage(View view) { String phoneNumber =
    editTextPhoneNumber.getText().toString().trim();
    String message = editTextMessage.getText().toString();
    if (phoneNumber.isEmpty())
```

```
{  
    Toast.makeText(this, "Please enter a valid phone number",  
    Toast.LENGTH_SHORT).show();  
  
    return;  
}  
  
try {  
    SmsManager smsManager = SmsManager.getDefault();  
    smsManager.sendTextMessage(phoneNumber, null, message, null, null);  
    Toast.makeText(this, "Message sent", Toast.LENGTH_SHORT).show();  
}  
  
catch (IllegalArgumentException e)  
{  
    Toast.makeText(this, "Invalid phone number format",  
    Toast.LENGTH_SHORT).show();  
}  
} catch (Exception e) {  
    Toast.makeText(this, "Failed to send message", Toast.LENGTH_SHORT).show();  
    e.printStackTrace();  
}  
}  
  
// Check if SMS permission is granted  
private boolean checkSMSPermission() {  
    return ContextCompat.checkSelfPermission(this, Manifest.permission.SEND_SMS) ==  
PackageManager.PERMISSION_GRANTED;  
}  
  
// Request SMS permission  
private void requestSMSPermission() { ActivityCompat.requestPermissions(this, new  
String[]{Manifest.permission.SEND_SMS}, SMS_PERMISSION_CODE);  
}  
  
// SMS receiver  
private final BroadcastReceiver smsReceiver = new BroadcastReceiver()  
{ @Override  
public void onReceive(Context context, Intent intent) { Bundle bundle = intent.getExtras();  
if (bundle != null)
```

```
{  
    Object[] pdus = (Object[]) bundle.get("pdus");  
    if (pdus != null) {  
        for (Object pdu : pdus)  
        {  
            SmsMessage smsMessage = SmsMessage.createFromPdu((byte[]) pdu);  
            String senderPhoneNumber = smsMessage.getDisplayOriginatingAddress();  
            String messageBody = smsMessage.getMessageBody();  
            textViewReceivedMessages.append("From: " + senderPhoneNumber + "\n");  
            textViewReceivedMessages.append("Message: " +  
                messageBody + "\n\n");  
        }  
    }  
};  
}  
Output
```





Program 11

Create an application to send an Email.

Steps:

1. Click **Start- Android Studio**, a **Welcome to Android Studio** dialog box will appear. Click **New Project**, the **New Project Dialog box** appears.
2. Choose **Empty Views Activity** then click **Next**.
3. Specify the **Name** of your project, Select the **Language** as **Java**, and Select the **SDK as API 24("Nougat",Android 7.0)**.Click **Finish Button**.
4. Update the following code **in activity_main.xml and MainActivity.java**

5. Click **Run app** or **shift+F10** to execute the application.

activity_main.xml

```
<?xml version="1.0" encoding="utf8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <EditText
        android:id="@+id/editTextTo"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:hint="To"/>

    <EditText
        android:id="@+id/editTextSubject"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_below="@+id/editTextTo"
        android:hint="Subject"/>

    <EditText
        android:id="@+id/editTextMessage"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_below="@+id/editTextSubject"
        android:hint="Message"/>

    <Button
        android:id="@+id/buttonSend"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_below="@+id/editTextMessage"
```



```
        android:text="Send"/>  
</RelativeLayout>
```


Mainactivity.java

```
package com.bca.email;  
  
import androidx.appcompat.app.AppCompatActivity;  
import android.annotation.SuppressLint;  
import android.content.Intent;  
import android.os.Bundle;  
import android.view.View;  
import android.widget.Button;  
import android.widget.EditText;  
public class MainActivity extends AppCompatActivity {  
    EditText editTextTo, editTextSubject, editTextMessage;  
    Button buttonSend;  
    @Override  
    protected void onCreate(Bundle savedInstanceState)  
    {  
        super.onCreate(savedInstanceState);  
        setContentView(R.layout.activity_main);  
        editTextTo = findViewById(R.id.editTextTo);  
        editTextSubject = findViewById(R.id.editTextSubject);  
        editTextMessage = findViewById(R.id.editTextMessage);  
        buttonSend = findViewById(R.id.buttonSend);  
        buttonSend.setOnClickListener(new View.OnClickListener()  
        {  
            @Override  
            public void onClick(View v)  
            {  
                sendEmail();  
            }  
        });  
    }  
}
```

```
@SuppressLint("QueryPermissionsNeeded")
private void sendEmail() {
    String to = editTextTo.getText().toString().trim();
    String subject = editTextSubject.getText().toString().trim();
    String message = editTextMessage.getText().toString().trim();
    Intent intent = new Intent(Intent.ACTION_SEND);
    intent.setType("text/plain");
    intent.putExtra(Intent.EXTRA_EMAIL, new String[]{to});
    intent.putExtra(Intent.EXTRA_SUBJECT, subject);
    intent.putExtra(Intent.EXTRA_TEXT, message);
    if (intent.resolveActivity(getPackageManager()) != null)
    {
        startActivityForResult(Intent.createChooser(intent, "Choose an email client"));
    }
}
```

OUTPUT





Program 12

Display Map based on the Current/given location.

Steps:

1. Click Start- Android Studio, a **Welcome to Android Studio** dialog box will appear. Click **New Project**, the **New Project Dialog box** appears.
2. Choose **Empty Views Activity** then click **Next**.
3. Specify the **Name** of your project, Select the **Language** as **Java**, and Select the

SDK as API 24(“Nougat”,Android 7.0).Click Finish Button.

4. Update the following code **in activity_main.xml, Androidmanifest.xml and MainActivity.java**

5. Click **Run app or shift+F10** to execute the application.

MainActivity.java

```
import android.os.Bundle;  
  
import android.widget.Toast;  
  
import androidx.annotation.NonNull;  
  
import androidx.appcompat.app.AppCompatActivity;  
  
import com.google.android.gms.maps.CameraUpdateFactory;  
  
import com.google.android.gms.maps.GoogleMap;  
  
import com.google.android.gms.maps.OnMapReadyCallback;  
  
import com.google.android.gms.maps.SupportMapFragment;  
  
import com.google.android.gms.maps.model.LatLng;  
  
import com.google.android.gms.maps.model.MarkerOptions;  
  
public class MainActivity extends AppCompatActivity implements OnMapReadyCallback {  
  
    private GoogleMap mMap;  
  
    private double latitude = 0.0;  
  
    private double longitude = 0.0;  
  
    @Override  
  
    protected void onCreate(Bundle savedInstanceState) {  
  
        super.onCreate(savedInstanceState);  
  
        setContentView(R.layout.activity_main);  
  
        // Obtain the SupportMapFragment and get notified when the map is ready to be used.
```

```
SupportMapFragment mapFragment = (SupportMapFragment)
getSupportFragmentManager()
    .findFragmentById(R.id.map);

if (mapFragment != null) {
    mapFragment.getMapAsync(this);
} else {
    Toast.makeText(this, "Map Fragment Not Found", Toast.LENGTH_SHORT).show();
}

@Override
public void onMapReady(@NonNull GoogleMap googleMap) {
    mMap = googleMap;
    // Add a marker at current or given location and move the camera
    LatLng location = new LatLng(latitude, longitude);
    mMap.addMarker(new MarkerOptions().position(location).title("Marker"));
    mMap.moveCamera(CameraUpdateFactory.newLatLngZoom(location, 15));
}
}
```

activity_main.xml

```
<?xml version="1.0" encoding="utf8"?>

<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">
```

```
<fragment  
    android:id="@+id/map"  
    android:name="com.google.android.gms.maps.SupportMapFragment"  
    android:layout_width="match_parent"  
    android:layout_height="match_parent"  
    android:layout_alignParentTop="true"  
    android:layout_alignParentBottom="true"  
    android:layout_alignParentStart="true"  
    android:layout_alignParentEnd="true" />  
</RelativeLayout>
```

AndroidManifest.xml

```
<?xml version="1.0" encoding="utf8"?>  
<manifest xmlns:android="http://schemas.android.com/apk/res/android"  
    package="com.yourpackage.yourappname">  
    <usespermission android:name="android.permission.ACCESS_FINE_LOCATION" />  
    <usespermission android:name="android.permission.ACCESS_COARSE_LOCATION" />  
    <usespermission android:name="android.permission.INTERNET" />  
    <application  
        android:allowBackup="true"  
        android:icon="@mipmap/ic_launcher"  
        android:label="@string/app_name"  
        android:roundIcon="@mipmap/ic_launcher_round"  
        android:supportsRtl="true"  
        android:theme="@style/AppTheme">
```

```
<! Google Maps API Key >

<metadata
    android:name="com.google.android.geo.API_KEY"
    android:value="YOUR_API_KEY_HERE" />

<activity android:name=".MainActivity">
    <intentfilter>
        <action android:name="android.intent.action.MAIN" />
        <category android:name="android.intent.category.LAUNCHER" />
    </intentfilter>
</activity>
</application>
</manifest>
```

Program 13

Create a sample application with login module (check user name and password) On successful login change TextView “Login Successful”. On login fail alert using Toast “login fail”

Steps:

1. Click **Start- Android Studio**, a **Welcome to Android Studio** dialog box will appear.
Click **New Project**, the **New Project Dialog box** appears.
2. Choose **Empty Views Activity** then click **Next**.
3. Specify the **Name** of your project, Select the **Language** as **Java**, and Select the **SDK as API 24(“Nougat”,Android 7.0)**.Click **Finish Button**.
4. Update the following code in **activity_main.xml** and **MainActivity.java**
5. Click **Run app** or **shift+F10** to execute the application.

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity"
    android:orientation="vertical"
    android:padding="16dp">
    <TextView android:id="@+id/tvTitle"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:textSize="24sp"
        android:text="Login Form"
        android:layout_gravity="center"/>
    <TextView android:id="@+id/tvUserName"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:textSize="20sp"
        android:text="User Name" />
    <EditText
        android:id="@+id/etUsername"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:hint="Username"
        android:inputType="text"
        android:padding="8dp"
        android:layout_marginTop="16dp"
        android:layout_marginBottom="30dp"/>
    <TextView android:id="@+id/tvPassword"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:textSize="20sp"
```

```
        android:text="Password" />
    <EditText
        android:id="@+id/etPassword"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:hint="Password"
        android:inputType="textPassword"
        android:padding="8dp"
        android:layout_marginTop="16dp"
        android:layout_marginBottom="30dp"/>
    <Button
        android:id="@+id/btnLogin"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="Login"
        android:textSize="18sp"
        android:layout_marginTop="16dp"/>
    <TextView android:id="@+id/tvMessage"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:textSize="20sp"
        android:text="Password" />
</LinearLayout>
```

Mainactivity.java

```
package com.bca.loginprgrm;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.TextView;
public class MainActivity extends AppCompatActivity {
    EditText etUsername,etPassword; Button btnLogin;
```

```
TextView tvMessage;  
@Override  
protected void onCreate(Bundle savedInstanceState)  
{  
    super.onCreate(savedInstanceState);  
    setContentView(R.layout.activity_main);  
    btnLogin = (Button) findViewById(R.id.btnLogin);  
    etUsername = (EditText) findViewById(R.id.etUsername);  
    etPassword = (EditText) findViewById(R.id.etPassword);  
    tvMessage = (TextView) findViewById(R.id.tvMessage);  
    btnLogin.setOnClickListener(new View.OnClickListener()  
    {  
        @Override  
        public void onClick(View view)  
        {  
            if(etUsername.getText().toString().isEmpty())  
            {  
                etUsername.setError("Enter User name");  
            } else if (etPassword.getText().toString().isEmpty()) {  
                etPassword.setError("Enter Password");  
            }  
            else if(etUsername.getText().toString().equals("isbr") &&  
                  etPassword.getText().toString().equals("isbr"))  
            {  
                tvMessage.setText("Valid Login");  
            }  
            else  
            {  
                tvMessage.setText("Invalid login");  
            }  
        }  
    });  
}  
}
```

OUTPUT


The image displays two side-by-side screenshots of a mobile application's login screen. Both screens show a dark-themed interface with a light purple header bar at the top containing the time '11:29' and battery level '90%'. The main content area is black.

Left Screenshot:

- Login Form**: The title of the form.
- User Name**: A label for the first input field.
- Username**: The placeholder text for the first input field.
- Password**: A label for the second input field.
- Password**: The placeholder text for the second input field.
- Login**: A large, rounded rectangular button at the bottom.

Right Screenshot:

- Login Form**: The title of the form.
- User Name**: A label for the first input field.
- isbr**: The value entered into the first input field.
- Password**: A label for the second input field.
-**: The placeholder text for the second input field.
- Login**: A large, rounded rectangular button at the bottom.



Program 14

Learn to deploy Android applications

Steps to Deploy an Android Application

1. Prepare App (use Program 1 Hello world for this program)

- Optimize performance and test thoroughly.

- Ensure compatibility with various devices.

activity_main.xml

```
<?xml version="1.0" encoding="utf8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Hello World!"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        android:textSize="30sp"/>

</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity.java

```
package com.bca.helloworld;

import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
public class MainActivity extends AppCompatActivity

{

    protected void onCreate(Bundle savedInstanceState)
    {
        super.onCreate(savedInstanceState);
```

```
        setContentView(R.layout.activity_main);  
    }  
}
```

2. Generate Signed APK (Android Package Kit):

- In Android Studio, navigate to Build > Generate Signed Bundle/APK.
- Follow the prompts to create a new keystore or use an existing one. A keystore is a binary file that contains a set of private keys.
- Configure the build type (release) and signing configuration.
- Generate the signed APK file.

3. Test Your Signed APK:

- Before distributing your app, test the signed APK to ensure that the signing process didn't introduce any issues.
- Install the APK on various devices and perform thorough testing.
- Release on Google Play Console:
 - Sign in to the Google Play Console (<https://play.google.com/apps/publish>).
 - Create a new app entry if this is your first release or select an existing app.
 - Complete all the required information for the app listing, including the title, description, screenshots, and categorization.
 - Upload your signed APK file.
 - Set pricing and distribution options.
 - Optimize your store listing for search and conversion.
 - Once everything is set, click the "Publish" button to release your app to the Google Play Store.

5. Other Distribution Channels (Optional):

- Besides Google Play, you can distribute your app through other channels such as Amazon Appstore, Samsung Galaxy Store, or thirdparty app marketplaces.

- Each distribution channel may have its own requirements and submission process, so be sure to follow their guidelines.

6. Monitor and Update:

- Keep an eye on user feedback and app performance metrics through the Google Play Console.
- Regularly update your app to fix bugs, add new features, and improve user experience based on feedback.